

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

All the approved fountain solutions pass corrosion tests as well as plastic swelling tests.

Only founts with the exact spelling on the list are approved.

The maximum concentration is the concentration at which the corrosion tests for steel and nickel were performed. The approval is granted for concentrations lower or equal to this concentration. Be aware that fount concentrates have to fit to the waterquality and in particular meet the criteria pH of fount solution >4,8.

The approval has to be renewed for fount concentrates every five years. This is expressed in the column "approval valid to". When the date is highlighted in grey, the approval is already expired.

Any additives - except rehardeners - added to a fount concentrate in the press, have to be tested alongside the fount concentrate. Approved combinations are reported in the approval lists.

Manufacturer	Product name	Max. % Concentration	Approval valid to
manroland web systems GmbH Geschäftsfeld printcom.web	fount WSH 510X	4	10/2021
	fount WSH 516X	4	08/2021
	fount WSH 519 X	4	10/2021
ABC/ Allied Metrostar (India) Private Limited India	Alcomi 3368 TE	3,9	09/2020
	Alcomi 3368 Neutral TE	4	08/2021
ABC/ Allied Pressroom Products (China) Limited	Alcomi 3368 TE	3,9	09/2020
	Alcomi 3368 Neutral TE	4	08/2021
	Alcomi 3368 TE (BA/NS)	3,9	10/2021
ABC/ Allied Pressroom Products (Europe) Limited SP. ZO.O.Poland	Alcomi 3368 TE	3,9	09/2020
	Alcomi 3368 Neutral TE	4	08/2021
	Alcomi 3368 TE (BA/NS)	3,9	10/2021
Allied Pressroom Products	Alcomi 3368 TE	3,9	09/2020
	Alcomi 3368 Neutral TE	4	08/2021
	Alcomi 3368 TE (BA/NS)	3,9	10/2021
Agfa Graphics NV	Antura Fount HS-LC	3	12/2021
	Antura Fount HS-LPH	3	12/2021
	Antura Fount 700	3	03/2023
	Antura Fount H700	3	03/2023
	Elite Eco Heatset Fount	3,75	05/2022

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	Elite Eco Heatset Fount H	3,75	05/2022
	Prima FS 909 AF WEB	3	08/2021
Anchor Pressroom Products	Emerald Premium 5200	4	03/2018
	Emerald Premium 5300	4	10/2017
	Emerald Premium 5300 Hard	4	10/2017
	Emerald Premium 5300 + PRO RUN*	4	09/2018
	Emerald Premium 5300 Hard + PRO RUN*	4	09/2018
	Emerald Premium 5400	4	08/2018
	Emerald Premium Hard 5400	4	08/2018
Archem SRL	AZ 599 Fount	3	03/2018
BECA Grafic S.A.	Aquaheat Plus	2,5	10/2017
BluePrint Products NV	BlueFount HC 310	2,5	05/2022
	BlueFount HI 351	3,5	05/2022
Böttcher, Felix GmbH & Co. KG	BöttcherFount H-2003 4.8	2,5	02/2018
	BöttcherFount H-2004	3	07/2022
	BöttcherFount H-2004 4.8	3	07/2022
	BöttcherFount H-2004 S	3	07/2022
	BöttcherFount H-2005	3	11/2018
	BöttcherFount H-2005 4.8	3	11/2018
	BöttcherFount H-2005 S	3	11/2018
	BöttcherFount H-2006 5.0	4	08/2021
BM Management cc	Rapid Blue Damp	submitted	08/2017
DC DruckChemie GmbH	Wassertop 104/Plus	submitted	08/2016
	Wassertop 104/Plus „W“	submitted	08/2016
	Wassertop 104/7.C	submitted	08/2016
	Wassertop HS 2.46	submitted	08/2016
	Wassertop HS 2.46 H	submitted	08/2016
	Wassertop HS 2.47	submitted	08/2016
	Wassertop HS 2.48	submitted	08/2016
	Wassertop HS 2.48 Spezial	submitted	08/2016

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von mgws gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of mgws.

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	Wassertop HS 3000	submitted	09/2016
	Wassertop HS 3000 H	submitted	09/2016
	Wassertop HS 3001	submitted	09/2016
	Wassertop HS 3002 PS	4	10/2017
	Wassertop HS 3005	4	06/2019
	Wassertop HS 3015	4	06/2022
DS Druckerei Service GmbH	Acedin Heat 5000	4	08/2021
	Acedin Heat 5000 H	4	08/2021
	Acedin Heat 6100	4	10/2021
	Acedin Heat 6100 H	4	10/2021
	Acedin Heat 6200	4	08/2021
	Acedin Heat 6200 H	4	08/2021
	Acedin Heat 6300	4	10/2017
	Acedin Heat 6300 (Hard)	4	10/2017
	Acedin Heat 6300 + PRO RUN*	4	09/2018
	Acedin Heat 6300 H + PRO RUN*	4	09/2018
	Acedin Heat 6400	4	03/2018
	Acedin Heat 6700	4	08/2018
	Acedin Heat 6700 H	4	08/2018
Hanns Eggen GmbH & Co. KG	Alcolan web V 78.113	4	11/2023
	Alcolan web ECO V 78.115	3	01/2021
Flint Group (Varn Products)	AF Super Speed	4	08/2021
	AF Super Speed (250)	4	08/2021
	Journal Fount SEWD	4	07/2020
	Journal Fount SEWD (250)	4	07/2020
	Supreme Cert 788	5,5	10/2019
	Uniset Fount	3	12/2021
	Uniset Fount (250)	3	12/2021
	Varn CSF 9184	4	08/2019
	Varn Elite Fount	4	11/2021
	Varn Elite Fount 250	4	11/2021

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von mgws gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of mgws.

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	Varn HSF 2272	4	06/2022
	Varn HSF 2272 (250)	4	06/2022
	Varn HSF 9146	4	07/2019
	Varn HSF 9146 (250)	4	07/2019
	Varn HSF 9153	4	02/2020
	Varn HSF 9153 (250)	4	02/2020
	Varn HSF 9165	4	07/2019
	Varn HSF 9168	4	07/2019
	Varn HSF 9170	4	01/2021
	Varn HSF 9170 (250)	4	01/2021
	Varn HSF 9199	4	12/2021
	Varn HSF 9199 (250)	4	12/2021
	Varn HSF 9236	4	07/2019
	Varn HSF 9236 (250)	4	07/2019
	Varn HSF 9241	4	06/2022
	Varn HSF 9241 (250)	4	06/2022
	Varn HSF 9242	4	06/2022
	Varn HSF 9242 (250)	4	06/2022
	Varn Opti-Web 9218	4	01/2021
Varn Opti-Web 9218 (250)	4	01/2021	
Hammond Print Supplies	Premier Web Fount	2	06/2020
Hausleiter Druckhilfsmittel GmbH & Co. KG	Hacodamp 713	4	11/2023
hubergroup Deutschland GmbH	Redufix AF 02VP 1891 09	3	10/2021
	Redufix AF 02VP 1891 19	3	10/2021
	Redufix AF 02VP 1891 29	3	10/2021
IMAF S.p.A.	Rotoplus 7000	3	08/2021
Intec Fabricaciones S.A.	Sinal pHE	3	07/2018
M&MR Trading Polska Sp. zo.o.	PHOENIX Xtra Fount 782	3,5	05/2022
PCO Europe B. V.	DynaCol AC310	3	12/2021
	DynaCol AC310-H	3	12/2021
	DynaCol AC310-S	3	12/2021

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von mgws gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of mgws.

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	DynaCol AC320	3	01/2023
	DynaCol AC320 H	3	01/2023
	DynaCol AC320 S	3	01/2023
	DynaCol AC330 LC	3	12/2021
	DynaCol AC330 LC-H	3	12/2021
	DynaCol AC330 LC-S	3	12/2021
	DynaCol AC 349	4	01/2023
	DynaCol AC 349-H	4	01/2023
	DynaCol AC 349-S	4	01/2023
	DynaCol AC350-H	3,75	05/2022
	DynaCol AC350-S	3,75	05/2022
	DynaCol AC364	4	10/2022
	DynaCol AC364-H	4	10/2022
	DynaCol AC364-S	4	10/2022
	DynaCol AC365 LC	5	12/2021
	DynaCol AC365 LC-H	5	12/2021
	DynaCol AC365 LC-S	5	12/2021
	Winfount HSAR1-C	5	12/2021
	WinFount 210C	3	12/2021
	Winfount 210C-H	4	12/2021
	Winfount 210C-S	4	12/2021
	Winfount HSAR1-CH	5	12/2021
	Winfount HSAR1-CS	5	12/2021
	WinSprint 2020C	3	01/2023
	WinSprint 2020C-H	3	01/2023
	WinSprint 2020C-S	3	01/2023
	WinSprint 2030 LC	3	12/2021
	WinSprint 2030 LC-H	3	12/2021
	WinSprint 2030 LC-S	3	12/2021
PReco-Solution GmbH	eF-web 1.0	3	01.2021
PressMax	FountMax Red 20.10 AF	4	08/2021

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	FountMax Red 20.20 AF	4	10/2021
	FountMax Red 20.21 AF	4	08/2021
	FountMax Red 20.70 AF	4	10/2017
	FountMax Red 20.70 AF + PRO RUN*	4	09/2018
	FountMax Red 20.90 AF	4	03/2018
	FountMax Red 20.95	4	08/2018
	FountMax Red 22.70 AF (Hard)	4	10/2017
	FountMax Red 22.70 AF (Hard) + PRO RUN*	4	09/2018
	FountMax Red 22.10 AF	4	08/2021
	FountMax Red 22.21 AF	4	08/2021
	FountMax Red 22.95	4	08/2018
Print-Chemie GmbH	FountS	4	09/2019
Printchem Kimya Makine San. Ve TIC LTD STI.	Premier Web Fount	2	06/2020
Prisco	Webfount 115 E	2	05/2022
	Webfount 570 E	5,2	02/2020
	Webfount 575 E	4	02/2020
Rädler-Wifac GmbH	Starfount Heat 100	3	12/2021
	Starfount Heat 100-H	3	12/2021
	Starfount Heat 100-S	3	12/2021
	Starfount Heat 300	3	12/2021
	Starfount Heat 300-H	3	12/2021
	Starfount Heat 300-S	3	12/2021
Schwegmann, Bernd	Schwego eco fount ED 5741	3	05/2022
	Schwego eco fount HS-MM	3	04/2020
	Schwego eco fount HS-SM	3	04/2020
	Schwego neutral fount HS ED5688	3	02/2020
	Schwego neutral fount HS ED5689	3	02/2020
	Schwego Soft 2200	3	10/2021

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
	Schwego Soft 200 NA	3	03/2023
	Schwego Soft 200 WA	3	03/2023
	Schwego Soft 2201	3	10/2021
	Schwego Soft 3000 AB	3	09/2019
	Schwego Soft 3000 AB ED5677	3	04/2019
	Schwego Soft 3000 AN	3	09/2019
	Schwego Soft 3000 AW	3	09/2019
	Schwego Soft 3000 AW ED5672	3	04/2019
	Schwego Soft 3000 AYB	3	08/2021
	Schwego Soft 3000 AYH	3	08/2021
	Schwego Soft 3000 AYN	3	08/2021
	Schwego Soft 3000 AYW	3	08/2021
Solco Offsetproducts	Dampstar 7.20	4	03/2018
	Dampstar 7.21	4	10/2021
	Dampstar 7.30	4	10/2017
	Dampstar 7.30 Hard	4	10/2017
	Dampstar 7.30 + PRO RUN*	4	09/2018
	Dampstar 7.30 Hard + PRO RUN*	4	09/2018
	Dampstar 7.35	4	08/2018
	Dampstar 7.35 Hard	4	08/2018
	Dampstar 7.6	4	08/2021
	Dampstar 7.6 Hard	4	08/2021
	Dampstar 7.82	4	08/2021
	Dampstar 7.82 Hard	4	08/2021
WS print GmbH & Co.KG (Wolfgang Spielberger e.K.)	alco down R201	4	10/2022
	alco down RS201	4	10/2022
	alco down R202	4	08/2021
	alco down RS202	4	08/2021
	alco down R203	4	03/2023
	alco down RM203	4	03/2023
	alco down R204	4	01/2023
	alco down RM204	4	01/2023

Released Fountain Solutions manroland Goss web systems GmbH – Commercial Presses

Results are based on a SOP for material resistance/corrosive potential and performed by a reference Institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

21.09.2018

Manufacturer	Product name	Max. % Concentration	Approval valid to
Sun Chemical	Sunfount HS 430	4	08/2021
	Sunfount HS 432	4	08/2021
	Sunfount HS 435	4	08/2021
	SunFount 6239	3	07/2023
	SunFount 6239 LV 7015	3	07/2023
	SunFount 6240	3	07/2023
	SunFount 55H01	3,5	05/2022
TPE Corporation (Hong Kong) Ltd	Winstar HF 2.0	3,5	05/2022
Vegra GmbH	Alco Damp Rot 3232/900 N	4	10/2021

- * Freigabe nur als Produktkombination, es dürfen max. 2 % PRO RUN enthalten sein. Es muss eine eigene Dosiervorrichtung für das Additiv vorhanden sein.
- * Approval only granted for combination of fount and a maximum of 2 % PRO RUN, which requires a separate doser.
- ** Bitte beachten Sie:
Die gelisteten Produkte sind nur in den Vertriebsregionen der mrws-Marktorganisationen und -Vertriebs- und -Service-Partner erhältlich! Für nähere Informationen wenden Sie sich bitte an Ihren örtlichen Ansprechpartner.
- ** Please note:
The products listed are only available within the distribution areas of mrws' market organisations and sales and service partners! For more detailed information, please contact your local mrws representative.